



MACKIE.2010

Alle vermelde prijzen zijn bruto advies incl 21% BTW

Onyx-i Series

Mackie Onyx 820i

8-channel premium analog mixer with integrated 24-bit/96kHz FireWire I/O

- 8 channels
- 3 Onyx mic preamps
- 8x2 FireWire

mac-onyx820i

Prijs incl BTW: 725 €



Mackie Onyx 1220i

12-channel premium analog mixer with integrated 24-bit/96kHz FireWire I/O

- 12 channels
- 4 Onyx mic preamps
- 16x2 FireWire

mac-onyx1220i

Prijs incl BTW: 967 €



Mackie Onyx 1620i

16-channel premium analog mixer with integrated 24-bit/96kHz FireWire I/O

- 16 channels
- 8 Onyx mic preamps
- 16x2 FireWire

mac-onyx1620i

Prijs incl BTW: 1330 €



Mackie Onyx 1640i

16-channel premium analog mixer with integrated 24-bit/96kHz FireWire I/O

- 16 channels
- 16 Onyx mic preamps
- 16x16 FireWire for true tape-style mixdown

mac-onyx1640i

Prijs incl BTW: 2298 €



VLZ 3 Series

Mackie 402 VLZ3

Ultra compact 4-channel mixer

- 4 line inputs (2 Hi-Z switchable)
- 2 XDR 2 mic preamps
- 2 band EQ
- Stereo main mix bus + RCA I/O



mac-402vlz3

Prijs incl BTW: 144 €

Mackie 802 VLZ3

Ultra compact 8-channel mixer

- 8 line inputs (2 Hi-Z switchable)
- 3 XDR 2 mic preamps
- 3 band EQ
- Stereo main mix bus + Alt 3-4 bus
- 1 aux send + 1 stereo return + RCA I/O



mac-802vlz3

Prijs incl BTW: 277 €

Mackie 1202 VLZ3

Compact 12-channel mixer

- 12 line inputs
- 4 XDR 2 mic preamps
- 3 band EQ
- Stereo main mix bus + Alt 3-4 bus
- 2 aux sends + 2 stereo returns + RCA I/O



mac-1202vlz3

Prijs incl BTW: 422 €

Mackie 1402 VLZ3

Compact 14-channel mixer

- 14 line inputs
- 6 XDR 2 mic preamps
- 3 band EQ - 60 mm faders
- Stereo main mix bus + Alt 3-4 bus
- 2 aux sends + 2 stereo returns + RCA I/O



mac-1402vlz3

Prijs incl BTW: 567 €

Mackie 1642 VLZ3

16 channel mixer

- 16 line inputs
- 10 XDR 2 mic preamps
- 3 band EQ (swept mids on mono channels) - 60 mm faders
- Stereo main mix bus + 4 subgroups
- 4 aux sends + 4 stereo returns + RCA I/O



mac-1642vlz3

Prijs incl BTW: 846 €

Mackie 1604 VLZ3

16 channel mixer

- 16 line inputs
- 16 XDR 2 mic preamps
- 3 band EQ with swept mids - 60 mm faders
- Stereo main mix bus + 4 subgroups
- 6 aux sends + 4 stereo returns + RCA I/O



mac-1604vlz3

Prijs incl BTW: 1209 €

ProFX Series

Mackie ProFX 8

Compact 8-channel mixer with onboard effects and USB I/O

- 3 full stereo channels
- 4 mackie mic preamps
- 3 band EQ - 60mm faders
- 32-bit RMFX processor with 16 reverbs, choruses and delays
- Precision 7-band graphic EQ
- USB I/O for recording or playback via PC or Mac



mac-profx8

Prijs incl BTW: 338 €

Mackie ProFX 12

Compact 12-channel mixer with onboard effects and USB I/O

- 4 full stereo channels
- 6 mackie mic preamps
- 3 band EQ - 60mm faders
- 32-bit RMFX processor with 16 reverbs, choruses and delays
- Precision 7-band graphic EQ
- USB I/O for recording or playback via PC or Mac



mac-profx12

Prijs incl BTW: 422 €

CFX mkII Series

Mackie CFX 12 mkII

12-channel mixer with onboard effects

- 12 channels (8 mic/line mono + 2 stereo line)
- True 4-bus design
- 3 band EQ on mono, 4 band EQ on stereo
- 32-bit EMAC effects processor
- 9-band stereo graphic EQ
- 2 pre/post aux sends and int./ext. FX level sends per channel



mac-cfx12mk2

Prijs incl BTW: 725 €

Mackie CFX 16 mkII

16-channel mixer with onboard effects

- 16 channels (12 mic/line mono + 2 stereo line)
- True 4-bus design
- 3 band EQ on mono, 4 band EQ on stereo
- 32-bit EMAC effects processor
- 9-band stereo graphic EQ
- 2 pre/post aux sends and int./ext. FX level sends per channel



mac-cfx16mk2

Prijs incl BTW: 906 €

Mackie CFX 20 mkII

20-channel mixer with onboard effects

- 20 channels (16 mic/line mono + 2 stereo line)
- True 4-bus design
- 3 band EQ on mono, 4 band EQ on stereo
- 32-bit EMAC effects processor
- 9-band stereo graphic EQ
- 2 pre/post aux sends and int./ext. FX level sends per channel



mac-cfx20mk2

Prijs incl BTW: 1027 €

Onyx 4-bus Live Series

Mackie Onyx 24-4

24-channel 4-bus premium analog mixer for live sound

- Onyx mic preamps on every channel
- 4-band Perkins EQ on every channel for warm sound
- 6 x 2 matrix mixer provides 2 additional mixes
- Built-in assignable stereo compressor/limiter
- 6 Aux sends with Pre/Post switches
- 2 dedicated stereo channels
- 100 mm panasonic faders



mac-onyx244

Prijs incl BTW: 2419 €

Mackie Onyx 32-4

32-channel 4-bus premium analog mixer for live sound

- Onyx mic preamps on every channel
- 4-band Perkins EQ on every channel for warm sound
- 6 x 2 matrix mixer provides 2 additional mixes
- Built-in assignable stereo compressor/limiter
- 6 Aux sends with Pre/Post switches
- 2 dedicated stereo channels
- 100 mm Panasonic faders



mac-onyx324

Prijs incl BTW: 3024 €

Onyx 8-bus Live Series

Mackie Onyx 2480

24-channel 8-bus premium analog mixer for live sound

- Onyx mic preamps on every channel
- 4-band Perkins EQ with hardware bypass
- 8 Aux sends with Pre/Post switches
- 8 stereo aux inputs
- 8 aux send masters
- 8 groups



mac-onyx2480

Prijs incl BTW: 4839 €

Mackie Onyx 3280

32-channel 8-bus premium analog mixer for live sound

- Onyx mic preamps on every channel
- 4-band Perkins EQ with hardware bypass
- 8 Aux sends with Pre/Post switches
- 8 stereo aux inputs
- 8 aux send masters
- 8 groups



mac-onyx3280

Prijs incl BTW: 6049 €

Mackie Onyx 4880

48-channel 8-bus premium analog mixer for live sound

- Onyx mic preamps on every channel
- 4-band Perkins EQ with hardware bypass
- 8 Aux sends with Pre/Post switches
- 8 stereo aux inputs
- 8 aux send masters
- 8 groups



mac-onyx4880

Prijs incl BTW: 7864 €

Mackie Onyx Redundant PSU

- Optional rack mountable redundant power supply

mac-onyxpowersupply

Prijs incl BTW: 846 €

PPM Powered Series

Mackie PPM 608

- 8 channel 1000W powered mixer with effects
- 500W + 500W class D power amplifiers
 - 32-bit RMFX processor with 24 reverbs chorusses and delays
 - In-Line compression
 - 4 mic/line mono + 2 stereo line inputs
 - 3-band EQ
 - 2 built-in DI boxes
 - Dual 7-band graphic EQ

mac-ppm608

Prijs incl BTW: 967 €



Mackie PPM 1008

- 8 channel 1600W powered mixer with effects
- 800W + 800W class D power amplifiers
 - 32-bit RMFX processor with 24 reverbs chorusses and delays
 - In-Line compression
 - 4 mic/line mono + 2 stereo line inputs
 - 3-band EQ
 - 2 built-in DI boxes
 - Dual 9-band graphic EQ

mac-ppm1008

Prijs incl BTW: 1209 €



Mackie PPM 1012

- 12 channel 1600W powered mixer with effects
- 800W + 800W class D power amplifiers
 - 32-bit RMFX processor with 24 reverbs chorusses and delays
 - In-Line compression
 - 8 mic/line mono + 2 stereo line inputs
 - 3-band EQ
 - 4 aux sends (2 FX & 2 Mon)
 - 2 built-in DI boxes
 - Dual 9-band graphic EQ

mac-ppm1012

Prijs incl BTW: 1572 €



Mackie Control Pro Series

Mackie Control Universal Pro

- Ultra-expandable control surface for your software
- Proprietary Mackie communication protocol for seamless music production software integration
 - 100mm touch-sens. optical Penny + Giles motorized faders
 - V-Pot control over software
 - More than 50 dedicated push-buttons
 - Tape-style transport controls
 - Full meter display with track names and parameters
 - Quick cursor-style buttons for Up, Down, Left, Right and Zoom
 - Onboard USB MIDI interface for direct connection to Mac or PC and up to 3 additional pieces of external MIDI gear
 - Software-specific Lexan overlays included
 - Expandable via optional Mackie Control Extender Pro

mac-mcupro

Prijs incl BTW: 1814 €



Mackie Control Universal Extender Pro

8-channel extender for Mackie Control Universal Pro

mac-mcextenderpro

Prijs incl BTW: 1204 €



Monitoring Controller

Mackie Big Knob

Tabletop level control / monitor switcher / source selector & talkback box

- Big, convenient volume knob for precise level adjustments
- Switch amongst 3 sets of studio monitors
- Built-in Talkback microphone
- Monitor 4 independent Stereo inputs
- Dual Headphone outputs with independent volume controls and headphone mix bus
- Phono preamp for direct turntable connection



mac-bigknob

Prijs incl BTW: 422 €

MR Series

Mackie MR5

55 + 30 W - 5" active studio monitor

- Precision Class A/B amplifiers: 55W for LF / 30W for HF
- HF and LF acoustic controls for room correction
- Balanced XLR, TRS and unbalanced RCA inputs
- Ultra-low distortion 5.25-inch steel frame LF transducer
- Waveguide loaded 1-inch high-resolution HF transducer
- Magnetically shielded

mac-mr5

Prijs incl BTW: 241 €



Mackie MR8

100 + 50 W - 8" active studio monitor

- Precision Class A/B amplifiers: 100W for LF / 50W for HF
- HF and LF acoustic controls for room correction
- Balanced XLR, TRS and unbalanced RCA inputs
- Ultra-low distortion 8-inch steel frame LF transducer
- Waveguide loaded 1-inch high-resolution HF transducer
- Magnetically shielded

mac-mr8

Prijs incl BTW: 398 €

HR Series

Mackie HR624 mkII

High resolution 100 + 40 W - 5" active reference monitor

- Ultra-linear frequency response for accurate mix translation
- 6,7-inch high-precision, low-distortion LF transducer
- 1-inch titanium dome, ferrofluid cooled tweeter
- Twin FR Series amps — 100W for LF / 40W for HF
- Cast aluminum Zero Edge Baffle™ minimizes diffraction
- Acoustic Space, LF roll-off, and HF controls
- Balanced XLR, TRS, and unbalanced RCA inputs

mac-hr624mk2

Prijs incl BTW: 664 €



Mackie HR824 mkII

High resolution 100 + 40 W - 5" active reference monitor

- Ultra-linear frequency response for accurate mix translation
- 8,75-inch high-precision, low-distortion LF transducer
- 1-inch titanium dome, ferrofluid cooled tweeter
- Twin FR Series amps — 150W for LF / 100W for HF
- Cast aluminum Zero Edge Baffle™ minimizes diffraction
- Acoustic Space, LF roll-off, and HF controls
- Balanced XLR, TRS, and unbalanced RCA inputs

mac-hr824mk2

Prijs incl BTW: 906 €



Thump Series

Mackie Thump TH15a

Affordable lightweight active speaker with 15" woofer

- LF 300W peak power (Class-D)
- HF 100W peak power (Class A/B)
- 15" high-precision woofer + 1" compression driver
- User-adjustable 3-band contour EQ with sweepable mids
- Mic/Line input for direct connection of single microphone

mac-th15a

Prijs incl BTW: 362 €



Mackie Thump TH18s

18" active subwoofer matching the TH15a

- 18" woofer
- 1000W peak power from a class-D amplifier
- Light weight (more specs to be announced)

mac-th18s

Prijs incl BTW: 785 €



SRM Active Series

Mackie SRM150

Extremely portable active loudspeaker system

- 3-channel mixer with 3-band active EQ with: Two Mic/line pre-amps with 48V - Instrument-ready input (no DI required) - Dedicated stereo channel for keyboards, CD, MP3, iPods, etc - Neutrik Combo "line in" - XLR "thru"
- 150-watts of high output, Class-D power
- 5,25" premium-quality, full-range neodymium driver
- Frequency Response: 100Hz to 17.5kHz
- 120 dB Maximum SPL@1meter
- Mic stand integration system for use with stand and boom

mac-srm150

Prijs incl BTW: 422 €



Mackie SRM350 V2

2-way bi-amplified 10" speaker system

- High-output, titanium dome compression driver
- 10" Neodymium long-throw low frequency transducer
- 165W class-D, Fast Recovery LF amp / 30W HF amp
- Mic/line input and pass-thru connector
- Flyable, Pole mountable, Floor wedge-able

mac-srm350v2

Prijs incl BTW: 483 €



Mackie SRM450 V2

2-way bi-amplified 12" speaker system

- High-output, titanium dome compression driver
- 12" Neodymium long-throw low frequency transducer
- 300W class-D, Fast Recovery LF amp / 100W HF amp
- Mic/line input and pass-thru connector
- Flyable, Pole mountable, Floor wedge-able

mac-srm450v2

Prijs incl BTW: 785 €



HD Active Series

Mackie HD1521

- 15" 2-way high definition powered loudspeaker
- High-definition audio processing
 - 1600W total system power
 - Custom designed transducers by EAW
 - 15" neodymium woofer
 - 1.75" titanium compression driver
 - 3-band EQ with sweepable mid
 - Flyable and pole-mountable

mac-hd1521

Prijs incl BTW: 1451 €



Mackie HD1531

- 15" 3-way high definition powered loudspeaker
- High-definition audio processing
 - 1800W total system power
 - Custom designed transducers by EAW
 - 15" neodymium woofer
 - 6" high-output mid-range transducer
 - 1.75" titanium compression driver
 - 3-band EQ with sweepable mid
 - Flyable and pole-mountable

mac-hd1531

Prijs incl BTW: 1753 €



Mackie HD 1501

- 15" active subwoofer
- To Be Announced

mac-hd1501

Prijs incl BTW: 1330 €

Mackie HD 1801

- 18" active subwoofer
- To Be Announced

mac-hd1801

Prijs incl BTW: 1694 €

C Passive Series

Mackie C200

- 10" 2-way passive speaker
- high-precision 1.4" HF titanium compression driver
 - 10" LF transducer
 - Power Handling: (RMS) 200 watts, (Peak) 500 watt @ 8ohm
 - Three setup configurations: pole mount, flyable and wedge
 - Maximum SPL Long-term @ 1m: 118dB
 - Frequency Range (-10 dB): 59Hz – 22kHz

mac-c200

Prijs incl BTW: 362 €



Mackie C300z

- 12" 2-way passive speaker
- high-precision 1.4" HF titanium compression driver
 - 12" LF transducer
 - Power Handling: (RMS) 300 watts, (Peak) 750 watt @ 8ohm
 - Three setup configurations: pole mount, flyable and wedge
 - Maximum SPL Long-term @ 1m: 123dB
 - Frequency Range (-10 dB): 45Hz – 20kHz

mac-c300z

Prijs incl BTW: 604 €



FRS Series

Mackie FRS1300

Professional lightweight stereo power amplifier 2 x 420W @ 4ohm

- high-power / low-distortion design
- Fast Recovery™ circuitry for clean, undistorted sound
- Ultra-light, ultra-quiet switching power supply
- 2U Height
- 2x 235W @ 8 ohm, 2x 420W @ 4 ohm, 2x 650W @ 2 ohm
- Bridged mode 840W @ 8 ohm, 1300W @ 4 ohm



mac-frs1300

Prijs incl BTW: 519 €

Mackie FRS1700

Professional lightweight stereo power amplifier 2 x 540W @ 4ohm

- high-power / low-distortion design
- Fast Recovery™ circuitry for clean, undistorted sound
- Ultra-light, ultra-quiet switching power supply
- 2U Height
- 2x 310W @ 8 ohm, 2x 540W @ 4 ohm, 2x 830W @ 2 ohm
- Bridged mode 1080W @ 8 ohm, 1660W @ 4 ohm



mac-frs1700

Prijs incl BTW: 664 €

Mackie FRS2800

Professional lightweight stereo power amplifier 2 x 850W @ 4ohm

- high-power / low-distortion design
- Fast Recovery™ circuitry for clean, undistorted sound
- Ultra-light, ultra-quiet switching power supply
- 2U Height
- 2x 500W @ 8 ohm, 2x 850W @ 4 ohm, 2x 1300W @ 2 ohm
- Bridged mode 1700W @ 8 ohm, 2800W @ 4 ohm



mac-frs2800

Prijs incl BTW: 809 €